



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/820,933	03/30/2001	Hideyo Makino	204398US2	4152

22850 7590 08/02/2004

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.  
1940 DUKE STREET  
ALEXANDRIA, VA 22314

EXAMINER
----------

PHAM, HAI CHI

ART UNIT	PAPER NUMBER
----------	--------------

2861

DATE MAILED: 08/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/820,933	<b>Applicant(s)</b> MAKINO, HIDEYO	
	<b>Examiner</b> Hai C Pham	<b>Art Unit</b> 2861	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 24 May 2004.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,3-6,8-11,13-16 and 18-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-6,8-11,13-16 and 18-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **FINAL REJECTION**

### ***Information Disclosure Statement***

1. The information disclosure statement (IDS) submitted on 04/14/04 has been received. The related cases included in the above information disclosure statement are being considered by the examiner.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 4-6, 9-11, 14-16, 19-21, 23, 25, 27-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Naiki et al. (U.S. 6,101,018) in view of Hamada et al. (U.S. 6,246,463 B1) and Komatsu (U.S. 5,774,248).

Naiki et al. discloses a multi-beam scanning apparatus comprising a laser diode array (2, Fig. 6) having at least three light emitting points (2a-2f) arranged in a package at an equal interval (D) and configured to emit respective laser beams that form corresponding laser beam spots on a recording medium (25) at a minimum recording interval (when the print mode is set to the highest density, namely at 1200 dpi as displayed in Fig. 7C), wherein the laser beams from the at least three light emitting points scan the recording medium in a main scanning direction while being at least one

Art Unit: 2861

of on and off (driver On/Off signal, Fig. 5) so as to form a light image having the minimum recording interval in the recording medium, the equal interval (D) is not greater than the minimum recording interval, irrespective of an image density (the light emitting points 30a-30f remain *fixed* at equal distance D of 21.2  $\mu\text{m}$ , which is equal to the minimum recording interval or pitch of the recording spots corresponding to the highest density of 1200 dpi, irrespective of the image density as shown in Fig. 7B at density of 600 dpi and in Fig. 7C at density of 1200 dpi), and the at least three light emitting points are arranged such that the corresponding laser beams spots on the recording medium are arranged substantially in a line in a direction orthogonal to the main scanning direction (the laser beam spots 30a-30f corresponding to the light emitting points 2a-2f, respectively, Fig. 7C). Naiki et al. further teaches the laser beam spots configured to be arranged in a line in a distance not greater than 21.27  $\mu\text{m}$  (Fig. 7C).

However, Naiki et al. fails to teach a holder for holding the laser diode array and having a projection configured to receive a collimator, any one of the laser beams being used as a clock laser beam to determine a timing of starting each main scanning (referring to the base claims), and the centers of the light beam spots on the recording medium deviating less than 1/2 from a target distance between centers of the light beam spots and a line in the main scanning direction (claim 25).

Regardless, Hamada et al. teaches a multi-beam scanning apparatus in which any one of the laser beams (301a-301c) is used as a clock laser beam (reference beam) configured to determine a timing of starting each main scanning via the delay

Art Unit: 2861

time setting circuit such that the beams spots (401a-401c) are aligned along the start line (610) in a direction orthogonal to the main scanning direction (Figs. 6A-6C).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the device of Naiki et al. with the aforementioned teaching of Hamada et al. The motivation for doing so would have been to provide a simple method of aligning the scanning start positions for all laser beams emitted at one time for every scanning process while increasing the life of the semiconductor laser array, as suggested by Hamada et al.

On the other hand, Komatsu discloses a multi-beam scanning apparatus in which the laser diode array (1) with a plurality of light emitting points arranged at equal intervals is adjusted such that the position deviation of the vertical line connecting the centers of the light beam spots in the sub-scanning direction is corrected, the position deviation being less than  $1/2$  from a target distance between centers of the light beam spots and a line in the main scanning direction (Figs. 11-12) (col. 11, lines 13-54). Komatsu further teaches a laser holder (12) for holding the laser diode array (1) and having a projection of a cylindrical form for receiving the collimating lens (2), the projection forming an integral part of the laser unit (Figs. 1, 10 and 15).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the laser holder into the device of Naiki et al. as taught by Komatsu. The motivation for doing so would have been to stably keep the collimating lens at a constant distance from the laser light source. It would have been obvious at the time the invention was made to a person having ordinary skill in the

Art Unit: 2861

art to modify the device of Naiki et al., as modified by Hamada et al., with the aforementioned teaching of Komatsu regarding the alignment of the laser beam spots. By doing so, it is possible to correctly align the light beams in a vertical line in the sub-scanning direction as a starting point.

4. Claims 3, 8, 13, 18, 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Naiki et al. in view of Hamada et al. and Komatsu, as applied to claims 1, 2, 6, 11, 16 above, and further in view of Nakayama (JP 5-6077).

Naiki et al., as modified by Hamada et al. and Komatsu, discloses all the basic limitations of the claimed invention except for the abnormal lighting detector, and the laser beam changer configured to change the clock laser beam to any one of the laser beams in case of detected abnormality.

However, Nakayama discloses an image forming device using plural light sources, and a detecting device (29) for detecting an abnormality in the emitting state of the light sources (25) such that only normal light sources are used for forming image.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the device of Naiki et al., as modified by Hamada et al. and Komatsu, with the aforementioned teaching of Nakayama for the purpose of adjusting the scan timing of each of the laser beams.

Art Unit: 2861

5. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Naiki et al. in view of Hamada et al. and Komatsu, as applied to claim 21 above, and further in view of Ito (U.S. 5,471,236).

Naiki et al., as modified by Hamada et al. and Komatsu, discloses all the basic limitations of the claimed invention except for the claimed relationship, which involves the focal distances of the collimator lens and the beam-shaping lens, respectively.

However, it is well known in the art of printing that the overall lateral magnification ( $m$ ) of an optical scanning device is defined as a product of the lateral magnification of the pre-deflection optical system ( $m_1$ ) (comprising a collimator lens and a condenser lens) and that of the post-deflection optical system ( $m_2$ ) (including the imaging lenses) as exemplified by Ito:

$$m = m_1 \cdot m_2 = (f_2/f_1) \cdot m_2$$

where,  $f_1$  is the focal distance of the collimator lens, and

$f_2$  is the focal distance of the cylindrical lens.

Therefore,

$$\begin{aligned} p &= L / m \\ &= L / [(f_2/f_1) \cdot m_2] \\ &= (f_1/f_2) \cdot (L/m_2) \end{aligned}$$

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the above teaching of Ito into the calculation of the scanning pitch in the device of Naiki et al., as modified by Hamada et

Art Unit: 2861

al. and Komatsu, since it is known in the art that such determination of the scanning pitch would include the characteristics of the pre-deflection optical system.

6. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Naiki et al. in view of Hamada et al. and Komatsu, as applied to claims 21 and 23 above, and further in view of Kitamura (U.S. 4,393,387).

Naiki et al., as modified by Hamada et al. and Komatsu, discloses all the basic limitations of the claimed invention except for the light beam array and the collecting element being part of a subunit.

However, Kitamura discloses a multi-beam scanning apparatus, in which the light emitting diode array (1, Fig. 2 or 15, Fig. 11) is build into a package, and is further a part of a subunit along with the condenser lens (11, Fig. 11).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the device of Naiki et al., as modified by Hamada et al. and Komatsu, with the aforementioned teaching of Kitamura for the purpose of providing a compact laser source unit whose optical alignment would be easy to be adjusted.

### ***Response to Arguments***

7. Applicant's arguments with respect to claims 1, 3-6, 8-11, 13-16 and 18-30 have been considered but are moot in view of the new grounds of rejection presented in this Office action.



***Pertinent Prior Art***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Naoe et al. (U.S. 5,997,153) discloses a light source for an image forming apparatus including a holder for holding the laser light source, the holder having an integrally molded projection for receiving a collimating lens.

***Conclusion***

9. Applicant's amendment, which changed the scope of each of the base claims, necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Art Unit: 2861

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai C Pham whose telephone number is (571) 272-2260. The examiner can normally be reached on M-F 8:30AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen D Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



HAI PHAM  
PRIMARY EXAMINER

July 28, 2004